



बढैयाताल गाउँपालिका  
Badhaiyatal Rural Municipality  
गाउँ कार्यपालिकाको कार्यालय  
Office of Rural Municipal Executive

०८४-४०९०७७

मैनापोखर बर्दिया  
(Mainapokhar, Bardiya)

लुम्बिनी प्रदेश,  
(Lumbini Province, Nepal)

दररेट कायमको लागी दररेट पेश गर्ने बारेको



प्रथम पटक सूचना मिति २०८३।०३।०२

यस कार्यालयबाट तपसिलका कार्यहरू सिलबन्दी दररेटको माध्यमबाट दररेट कायम गराउनु पर्ने भएकोले इच्छुक इजाजत प्राप्त फर्मबाट निम्न शर्तहरूको अधिनमा रही रितपूर्वकको सिलबन्दी दररेट पेशको लागि आन्धान गरिएको छ।

शर्तहरू

१. यस कार्यालयमा मौजुदा सुचीमा दर्ता रहेका फर्महरूले आ व २०८१/०८२ सम्मको नविकरण गरेको इजाजतपत्र, मूल्य अभिवृद्धि कर दर्ता प्रमाणपत्र, करचुक्ता प्रमाणपत्रको प्रतिलिपी संलग्न राखी प्रथम पटक सूचना प्रकाशित भएको मितिले ३ (तीन) दिन भित्र कार्यालय समय सम्ममा सिलबन्दी दररेट फारम बढैयाताल गाउँपालिकाको कार्यालयमा पेश गर्नुहुन जानकारी गराइन्छ।


तपसिल

S.N.	Description	Model No.	Specification	परिमाण	दर	जम्मा रु
1)	NVR 8 channel	Any	H.265+/H.265/H.264+/H.264 Compression Up to 32MP Recording Resolution 192 Mbps Incoming Bandwidth HDMI 4K Output (3840×2160) 2 SATA HDD Bays, up to 20TB each Gigabit RJ45 Network Port AI Features: Face Recognition, ANPR, AcuSearch, AcuSeek, Perimeter Protection, People Counting 8-Channel Live View & Playback USB 2.0 + USB 3.0 4 Alarm Inputs / 1 Alarm Output Vehicle Number Plate Recognition (ANPR), Road Monitoring,	१		
2)	Outdoor Bullet camera	Any	Image Sensor: 1/3" Progressive Scan CMOS Resolution: 4MP (2560 × 1440) Lens: 2.8mm / 4mm Fixed Lens Aperture: F1.0 Super Large Aperture Minimum Illumination: 0.001 Lux (Color), 0 Lux with White Light	१		

अर्जुन थारु  
प्रमुख प्रशासकिय अधिकृत




			ColorVu Technology: 24/7 Full-Color Imaging		
			White Light Range: Up to 30m		
			Video Compression: H.265+, H.265, H.264+, H.264		
			WDR: 120dB True WDR		
			Image Enhancement: 3D DNR, BLC		
3)	ANPR camera	Any	Type: 4MP High-Performance ANPR (Automatic Number Plate Recognition) Bullet Camera	१	
			Image Sensor: 1/1.8" Progressive Scan CMOS		
			Resolution: 2688 × 1520 (4MP)		
			Lens Options: 2.8–12mm / 8–32mm / 10–50mm Motorized Lens		
			ANPR: Built-in AI Number Plate Recognition Engine		
			Vehicle Detection Distance: Up to 25m		
			Capture Speed: 5–120 km/h		
			Minimum Illumination: 0.0005 Lux (Color)		
			Supplement Light: White Light, up to 50m		
			WDR: 140dB True WDR		
			Video Compression: H.265+, H.265, H.264+, H.264		
			Day/Night: 24×7 Full-Color Imaging		
4)	8 port Gig switch	Any	• Unmanaged access switch.	१	
			• All gigabit Ethernet ports.		
			• Plug and play.		
			• Easy to operate		
			• 16G Switching Capacity.		
			• 11.904Mpps Packet Forwarding Rate.		
			• 2k MAC Table Size.		
5)	Monitor	Any	• The 1920x1080 resolution produces clearer and more vivid pictures;	१	
			• IPS panel for wide viewing angles with 3-sided micro edge frame design;		
			• 178°H/178°V extra-wide viewing angle for overall viewing performance;		
			• 7 ms fast response time with no image blurring or ghosting		
			• VGAX1, HDMIx1, DPx1 Input .		
6)	Hardisk 4TB	Any	Capacity: 4TB	१	
			Size: 3.5 inch		
			Interface: SATA III (6Gb/s)		

  
 जेजुन थारु  
 प्रमुख प्रशासकिय अधिकृत




			RPM: 5400-5900			
			Cache: 64MB-256MB			
			Usage: 24/7 CCTV recording (DVR/NVR)			
			Camera Support: up to 64 cameras (depends on system)			
7)	Cat6 cable outdoor	Any	<ul style="list-style-type: none"> <li>• 50 m carton UTP CAT6, power over Ethernet, compatible with one cable</li> <li>• High-purity oxygen-free copper(99.97%) conductor .</li> <li>• PVC Outer Sheath of min. average thickness 0.7mm(0.03).</li> <li>• 23AWG of Diameter 0.57 mm ± 0.02mm (0.02 ± 0.0007).</li> </ul>	१ mtr		
8)	Outdoor metal Box(junction box)		metal box(300*250*370)	१		
9)	GI wire		1500 m	१		
10)	Power socket		6A	१		
11)	Insulated Power cable		outdoor power cable electric.	१		
12)	Fiber Tiffin box		<ul style="list-style-type: none"> <li>• High quality plastics compact and lite weight. Easy to install and Long life</li> <li>• Applications :Optical Fiber Network, Telecommunications networks, FTTH, FTTx, FTTP, OSP, CATV.</li> </ul>	१		
13)	Media converter	any	<ul style="list-style-type: none"> <li>• Single Mode Gigabit Fiber Media Converter set (A+B)</li> <li>• 10/100/1000Mbps full/half duplex, Negotiation function</li> <li>• Transmission distance: 20KM</li> <li>• External Power supply: DC 5V 2A</li> <li>• Ports: 1 Fiber port x 1 RJ45 port</li> <li>• Wavelength: 1310/1500nm</li> <li>• Leds: Power, Link/Act etc.</li> <li>• Working Temperature: -20 to 60 deegree</li> <li>• Weight: 350Gm</li> <li>• Body: Metal body, Black color</li> </ul>	१		
14)	4 port switch	Any	<ul style="list-style-type: none"> <li>• Supports 5 x 10/100/1000 Base-T Ports.</li> <li>• Robust Design makes it highly reliable and high-efficiency.</li> <li>• The Switching capacity is 10 Gbit.</li> <li>• Support 2K MAC Table size.</li> </ul>	१		

  
 अर्जुन थारु  
 प्रमुख प्रशासकिय अधिकृत



			<ul style="list-style-type: none"> <li>• Supports 7.44 Mpps Packet forwarding rate and 1 Mbit Packet Buffer Size.</li> <li>• Supports 2kV Surge protection.</li> <li>• The Casing Material is of Plastic.</li> <li>• 5VDC 1A Power Supply Input and 1.5W Power Consumption on full load.</li> <li>• The Device is an unmanaged switch, so it does not need to be configured through web interface, which simplifies installation</li> </ul>		
15)	LED continuous supplement light	any	<p>Type: Continuous IR/White Supplement Light (CCTV Light)</p> <p>LED: 16 LEDs</p> <p>Light Type: Infrared (IR) / Supplement light</p> <p>Wavelength: 850 nm (IR)</p> <p>Effective Distance: 16 – 25 meters</p> <p>Beam Angle: 30° – 40°</p> <p>Power Supply: AC 100–240V (or 88–264V)</p> <p>Power Consumption: 33 – 36W</p> <p>Protection: IP66 (Weatherproof)</p> <p>Body Material: Aluminium alloy</p> <p>Operating Temperature: -40°C to +70°C</p> <p>Lifespan: ≥ 50,000 hours</p> <p>Features:</p> <ul style="list-style-type: none"> <li>Auto light sensing (day/night)</li> <li>Uniform illumination</li> <li>Low power, high efficiency</li> <li>Outdoor CCTV use</li> </ul>	१	
16)	Pole use for ANPR camera		10 m to 15 m	1	
17)	installation and other require materials				
18)	Optical Fiber	any	4 core	1m	

  
 अर्जुन थारु  
 प्रमुख प्रशासकिय अधिकृत